Specification of body police camera - SOP-07

Product Image:





PARAMETERS

RECORDING	
Sensor	5MP CMOS
Chipset	Ambarella A7LA50
Top pixel	21M (6144x3456 16:9) (5M/8M/10M/12M/16M/21M/32M)
Video Resolution	2304x1296 30p / 1920x1080 30p /1440*1080 30p /1280x720 60p
	/1280x720 30p / 848x480 60p / 848*480 30p / 720*480 30p
Video Format	H.264 .AVI/MPEG4
Fast Forward	2X, 4X, 8X, 16X, 32X, 64X
REW	2X, 4X, 8X, 16X, 32X, 64X
Audio	High Quality Build-in Microphone.
Audio Format	AAC2./MP3
Water Mark	User ID, Time and Date Stamp
Camera	21 Megapixel Camera with optional burst shot
Photo Format	JPEG
Snap Shot	Capture Photos During Video Recording
Recording Time	Continuous recording time: 11hours (battery full charged, IR closed, and resolution ratio 720*480 30p)
Storage Capacity	16G/32G (64G)
Storage Level	Visual Indicator and Audible Alarm
Record Led	Red
One Touch Recording	Support One Touch Recording
Activation Remind	Audible, Visual, and Tactile Vibration Confirm Activation of Record and Stop
Pre-record function	≥10s pre-record(1296p30) ≥25s pre-record(1080p30)
Post-record function	≥30s post-record 5Seconds/1Min/10Mins

Smin/10min/15min/30min/45min Smin/10min/15min/30min/45min Smin/10min/15min/30min/45min Smin/10min/15min/30min/45min Smin/10min/15min Smin/10min/15min Smin/10min/15min Support Sup	Video quality	Best/fine/normal	
Red IR Switch Motion Detection Auto/manual Audio Guide Support Chime Support GPS Support (Build-in) Optional I anguage Chinese/English/Russian/Polish/ Others (OFM) Screen Protection 30s/Imin/3min/5min Friightness I ow/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-1-CD High-Resolution Color Display Audio Playback Yes Video Output IIDMI 1.3 Port Video I ransfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Password Protection I os et an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *81 mm (2.91** x 1.83** x 0.93**) Weight Temperature 20~70 degrees Celsius	Video Section	5min/10min/15min/30min/45min	
Motion Detection Auto/manual Audo Guide Support Chime Support GPS Support (Build-in) Optional Language Chineses/English/Russiam/Polish/ Others (OEM) Screen Protection 30s/Imin/3min/5min Timing Photography 5/10 Seconds Brightness I ow/High Auto Turn Off Support Sund volume Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW ICD Screen 2 Inch TIT-1 CD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Iransfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31 mm (2.91" x 1.83" x 0.93") Weight Weight 100g (5.64oz) Working Temperature 20 - 70 degrees Celsius	Burst Shot	2/3/5/10/15/20 burst shot picture taking	
Audio Guide Support Chime Support GPS Support (Build-in) Optional Language Chinese/English/Russian/Tolish/ Others (OEM) Screen Protection 30s/1min/3min/Smin Timing Photography 5/10 Seconds Brightness Low/High Auto Turn Off 30s/1min/3min/Smin Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in-3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *62 mm *83 mm (2.91" x 1.83" x 0.93") Weight Temperature - 20 ~70 degrees Celsius	Red IR Switch	Auto/manual	
Chime Support GPS Support (Build-in) Optional Language Chimese/English/Russian/Polish/ Others (OEM) Screen Protection 30s/Imin/3min/5min Timing Photography 5/10 Seconds Brightness Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support Slide Support Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, PF67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 1 160g (5.64oz) Working Temperature - 20~70 degrees Celsius	Motion Detection	Auto/manual	
GPS Support (Build-in) Optional Language Chinese/English/Russian/Polish/ Others (OEM) Screen Protection 30s/Imin/3min/5min Timing Photography 5/10 Seconds Brightness Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PIT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64az) Working Temperature - 20~70 degrees Celsius	Audio Guide	Support	
Language Chinese/English/Russian/Polish/ Others (OEM) Screen Protection 30s/Imin/3min/5min Timing Photography 5/10 Seconds Brightness Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HIDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91** x 1.83** x 0.93**) Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Chime	Support	
Screen Protection 30s/Imin/3min/5min Timing Photography 5/10 Seconds Brightness Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature - 20~70 degrees Celsius	GPS	Support (Build-in) Optional	
Timing Photography 5/10 Seconds Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software, User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91* x 1.83* x 0.93*) Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Language	Chinese/English/Russian/Polish/ Others (OEM)	
Brightness Low/High Auto Turn Off 30s/Imin/3min/5min Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31 mm (2.91" x 1.83" x 0.93") Weight 160g (5.64ox) Working Temperature -20~70 degrees Celsius	Screen Protection	30s/1min/3min/5min	
Auto Turn Off 30s/I min/3min/5min Key tone Support Sound volume File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) -20~70 degrees Celsius	Timing Photography	5/10 Seconds	
Key tone Support Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) -20~70 degrees Celsius	Brightness	Low/High	
Sound volume Support File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Auto Turn Off	30s/1min/3min/5min	
File type Police Control/Criminal Inspection/Public Security Slide Support VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Key tone	Support	
Slide Support VIDEO/IMAGE REVIEW LCD Sereen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91* x 1.83* x 0.93*) Weight 160g (5.64oz) Working Temperature −20~70 degrees Celsius	Sound volume	Support	
VIDEO/IMAGE REVIEW LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, 1P67 Clip Metal Clip with 360 degrees rotation PIT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91* x 1.83* x 0.93*) Weight 160g (5.64oz) Working Temperature −20~70 degrees Celsius	File type	Police Control/Criminal Inspection/Public Security	
LCD Screen 2 Inch TFT-LCD High-Resolution Color Display Audio Playback Yes Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31 mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Slide	Support	
Audio Playback Video Output Video Output Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83'' x 0.93'') Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	VIDEO/IMAGE REVIEW		
Video Output HDMI 1.3 Port Video Transfer USB 2.0 CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	LCD Screen	2 Inch TFT-LCD High-Resolution Color Display	
CAMERA Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Audio Playback	Yes	
Recording Angle Wide Angle 140 degrees Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31 mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature Visual Indicator C2.91" x 1.83" x 0.93")	Video Output	HDMI 1.3 Port	
Recording Angle Wide Angle 140 degrees Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Video Transfer	USB 2.0	
Night Vision Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	CAMERA		
Waterproof Yes, IP67 Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Recording Angle	Wide Angle 140 degrees	
Clip Metal Clip with 360 degrees rotation PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83'' x 0.93'') Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Night Vision	Yes - Two infrared illuminators, Up to 10 Meters with Visible Face Detection	
PTT Optional BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Waterproof	Yes, IP67	
BATTERY Built-in 3000mAH Lithium Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Clip	Metal Clip with 360 degrees rotation	
Charging Time 180 Minutes Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	PTT	Optional	
Battery Level Visual Indicator OTHERS Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	BATTERY	Built-in 3000mAH Lithium	
Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Charging Time	180 Minutes	
Police ID/Date Stamp Include 5 digit device ID and 6 digit police ID To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Battery Level	Visual Indicator	
Password Protection To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	OTHERS		
Password Protection videos but cannot delete it. Size 96 mm *62 mm *31mm (2.91" x 1.83" x 0.93") Weight 160g (5.64oz) Working Temperature -20~70 degrees Celsius	Police ID/Date Stamp	Include 5 digit device ID and 6 digit police ID	
Weight $160g (5.64oz)$ Working Temperature $-20 \sim 70$ degrees Celsius	Password Protection		
Working Temperature -20~70 degrees Celsius	Size	96 mm *62 mm *31mm (2.91'' x 1.83" x 0.93")	
	Weight	160g (5.64oz)	
Storage Temperature -40~80 degrees Celsius	Working Temperature	-20~70 degrees Celsius	
	Storage Temperature	-40~80 degrees Celsius	

ACCESSORIES	
Standard Accessories	USB Charger, USB Cable, Vehicle Changer, Docking, Universal Metal clip, User Manual, Driver CD
Optional Accessories	PTT cable, Shoulder Mount, Mini camera, Car Mount, bullet Camera, CCD camera, Docking Station of 10units, Dock station of 20units/Harness

